



PRODUCT SPECIFICATION DATA SHEET

SOFT AND RIGID PVC COMPOUND

KRM 1062 / K

General

Features

Uses

RoHS Compliance

Appearance

Forms

Processing method

Properties (@ 23 °C ; 50 % r.h.)

Test	Test Method	Typical Value
Density , gr / cm^3	ISO 1183	1.17 $\pm$ 0.03
Shore A Hardness	ISO 868	60 $\pm$ 2
Shore D Hardness	ISO 868	16 $\pm$ 2
Unaged Tensile Strength , Mpa	ISO 527	9.5 min.
Heat Aging, Change in Tensile Strength, %		
168 hr, @ 80°C	ISO 527	-
168 hr, @ -20°C	IEC 60811-1-2	
Unaged Elongation at Break , %	ISO 527	433 min.
Heat Aging, Change in Elongation at Break , %		
168 hr, @ 80°C	ISO 527	-
168 hr, @ -20°C	IEC 60811-1-2	
Resistance of water absorption, %	ISO 62	0,18
Weight Loss @ 105°C, mg / cm^2	ASTM D 2288	0,85
Limiting Oxygen Index, %	ISO 4589 - 2	
Thermal Stability (180 °C / 10 min.)	EN 60811-3-2	OK. Change into yellow
Melt Flow Index , $g / 10 min.$ (@ 175 °C ; 5 kg)	ISO 1133	4.83 min.



PRODUCT SPECIFICATION DATA SHEET

SOFT AND RIGID PVC COMPOUND

KRM 1062 / K

General

Features

Uses

RoHS Compliance

Appearance

Forms

Processing method

Properties (@ 23 °C ; 50 % r.h.)

Test	Test Method	Typical Value
Density , gr/cm^3	ISO 1183	1.17 ± 0.03
Shore A Hardness	ISO 868	60 ± 2
Shore D Hardness	ISO 868	16 ± 2
Unaged Tensile Strength , Mpa	ISO 527	9.5 min.
Heat Aging, Change in Tensile Strength, %		
168 hr, @ 80°C	ISO 527	-
168 hr, @ -20°C	IEC 60811-1-2	
Unaged Elongation at Break , %	ISO 527	433 min.
Heat Aging, Change in Elongation at Break , %		
168 hr, @ 80°C	ISO 527	-
168 hr, @ -20°C	IEC 60811-1-2	
Resistance of water absorption, %	ISO 62	0,18
Weight Loss @ 105°C, mg/cm^2	ASTM D 2288	0,85
Limiting Oxygen Index, %	ISO 4589 - 2	
Thermal Stability (180 °C / 10 min.)	EN 60811-3-2	OK. Change into yellow
Melt Flow Index , $g/10 min.$ (@ 175 °C ; 5 kg)	ISO 1133	4.83 min.

CERTIFICATE

UFUK PLASTİK – OSMAN ALBAYRAK

**75. YIL MH. OTO SANAYİ SİT. 11231 SK. M BLOK NO: 8
ODUNPAZARI – ESKİŞEHİR / TURKEY – TÜRKİYE**

This certificate the above-mentioned company, according to the ISO 9001 standard and the company's request for the following scope given by the QEC CERTIFICATION.

Bu sertifika yukarıda adı geçen firmaya, ISO 9001 standardına göre ve firmanın talebi üzerine aşağıda belirtilen kapsamda QEC CERTIFICATION tarafından verilmiştir.

ISO 9001:2008

Scope Of The Certification / Belgelendirme Kapsamı

**PVC Electrical Parts Found on White Goods and Automotive Sector Macarons
(Plastic Product) Manufacturing.
(Beyaz Eşya ve Otomotiv Sektöründeki Elektrikli Aksamı Üzerinde Bulunan PVC Makaron
(Plastik Mamul) İmalatı)**

Clauses 7.3 and 7.5.2 are excluded with justification as detailed in company's Quality Manual.

Date Of Issue / Veriliş Tarihi

28.09.2013

Certificate No. / Sertifika No.

489592/TR/Q

Expiry Date / Geçerlilik Tarihi

28.09.2014

Certification Manager / Belgelendirme Müdürü



*Belge kapsamı, standard gerekliliklerinin uygulanabilirliği ve sertifikanın geçerliliğini
www.qec.co.uk sitesinden teyid edebilirsiniz.*

TEST REPORT

Page 1 of 4

TEST REPORT NUMBER : TURR130137297**DATE: 20 September, 2013****APPLICANT: Ufuk Plastik ve Koltuk Sistemleri San.****ADDRESS:** 75. Yıl Oto San. Sit. 11231.Sk. M Blok No: 8 Eskişehir /
TURKEY
Fax : 0530 113 04 70
Attention : Osman Albayrak (info@ufukplastik.net)**SAMPLE DESCRIPTION :**
Sample 1 One sample of White PVC Macaron
Sample 2 One sample of Black PVC Shrinkable macaron**DATE IN : 17 /September /2013 (12:30)****DATE OUT : 20 /September /2013****MANUFACTURER' S NAME : UFUK PLASTİK****BUYER' S NAME : BAYCAN A.Ş.****REQUEST : RoHS Test was performed according to 2011/65/EU Directive.****RESULTS : SEE ATTACHMENT****CONCLUSION :**

Testing Item	Conclusion
Sample 1	PASS
Sample 2	PASS

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.

Bora Şirinbilek
Bora Şirinbilek
Coordinator

Neslihan Sözer
Neslihan Sözer
Chemical Laboratory Manager



2111

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna 34197 - ISTANBUL / TURKEY
Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55
e-mail : intertekcg.turkiye@intertek.com
www.intertek-turkey.com

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 : 2008
Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT	
	Sample	
	1	2
Cadmium (Cd) Content	ND	ND
Chromium VI (Cr+6) Content (ppm) (for non - metal)	ND	ND
Chromium VI (Cr+6) Content ($\mu\text{g}/\text{cm}^2$) (for metal)	NA	NA
Chromium VI (Cr+6) Result (By spot test on metal)	NA	NA
Lead (Pb) Content	ND	ND
Mercury (Hg) Content	ND	ND
Flame Retardants		
Polybrominated Biphenyls (PBB)	ND	ND
Monobromobiphenyl (MonoBB)	ND	ND
Dibromobiphenyl (DiBB)	ND	ND
Tribromobiphenyl (TriBB)	ND	ND
Tetrabromobiphenyl (TetraBB)	ND	ND
Pentabromobiphenyl (PentaBB)	ND	ND
Hexabromobiphenyl (HexaBB)	ND	ND
Heptabromobiphenyl (HeptaBB)	ND	ND
Octabromobiphenyl (OctaBB)	ND	ND
Nonabromobiphenyl (NonaBB)	ND	ND
Decabromobiphenyl (DecaBB)	ND	ND
Polybrominated Diphenyl Ethers (PBDE)	ND	ND
Monobromodiphenyl Ether (MonoBDE)	ND	ND
Dibromodiphenyl Ether (DiBDE)	ND	ND
Tribromodiphenyl Ether (TriBDE)	ND	ND
Tetrabromodiphenyl Ether (TetraBDE)	ND	ND
Pentabromodiphenyl Ether (PentaBDE)	ND	ND
Hexabromodiphenyl Ether (HexaBDE)	ND	ND
Heptabromodiphenyl Ether (HeptaBDE)	ND	ND
Octabromodiphenyl Ether (OctaBDE)	ND	ND
Nonabromodiphenyl Ether (NonaBDE)	ND	ND
Decabromodiphenyl Ether (DecaBDE)	ND	ND

Remarks : ppm=Parts per million based on dry weight of sample
 $\mu\text{g}/\text{cm}^2$ =Microgram per square centimetre
mg/kg with 50 cm^2 =Milligram per kilogram with 50 square centimetre
ND =Not detected NA =Not applicable NR =Not requested



(B) REQUIREMENT:


SUBSTANCE	LIMITS
Cadmium (Cd) Content	0.01 % (100 ppm)
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)
Lead (Pb) Content	0.1 % (1000 ppm)
Mercury (Hg) Content	0.1 % (1000 ppm)
Flame Retardants	0.1 % (1000 ppm)

(C) TEST METHOD :


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321:2008, by acid digestion and determined by ICP-OES	2 ppm
Lead (Pb) Content	With reference to IEC 62321:2008, by acid digestion and determined by ICP-OES	2 ppm
Mercury (Hg) Content	With reference to IEC 62321:2008, by acid digestion and determined by ICP-OES	2 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321:2008, by alkaline digestion and determined by UV-VIS spectrophotometer	1 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321:2008, by SPOT TEST	1 ppm (IN TESTING SOLUTION)
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321:2008, by boiling water extraction and determined by UV-VIS spectrophotometer	0.02 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321:2008, by solvent extraction and determined by GC/MS and HPLC	5 ppm



Sample 1



Sample 2



END OF TEST REPORT



TEST REPORT

Page 1 of 7

REPORT NUMBER : TURA130137299

APPLICANT NAME **Ufuk Plastik ve Koltuk Sistemleri Sanayi**

ADDRESS 75. Yıl Mh. Oto Sanayiciler Sitesi 11231. Sok. M. Blok No:8 ESKİŞEHİR
TEL NO: 0222 246 08 30 FAX NO: 0222 246 06 27
Attention : Osman Albayrak (info@ufukplastik.net)

SAMPLE DESCRIPTION :

Sample 1: One sample of White PVC Macaron
Sample 2: One sample of Black PVC Shrinkable Macaron

DATE IN : 17 September, 2013 (12:30)

DATE OUT : 08 October, 2013

BUYER'S NAME : BAYCAN A.Ş.

MANUFACTURER'S NAME : UFUK PLASTİK

REQUEST : SVHC Testing regarding REACH Regulation (EC) No. 1907/2006 for updated SVHC List of 20th June, 2013

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.Ş.
The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.

Bora Şirinbilek
Coordinator

Neslihan Sözer
Chemical Laboratory Manager





2111

Intertek Test Hizmetleri A.Ş.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY
Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55
e-mail : intertekcg.turkiye@intertek.com
www.intertek-turkey.com



130137299

Test Method**Result****Requirements****Sample:****Sample 1****Weight : 13.90 g****Sample 2****Weight : 7.75 g****Tested Component Parts:**

CS=Combined Sample

CS	Description	
1	CS1	Combined sample of White PVC Macaron, Black PVC Shrinkable Macaron

Test Method
Result
Requirements
(□) SVHC Testing Results

By a combination of X-Ray Fluorescence Spectroscopy, Inductively Coupled Argon Plasma Spectrometry, Gas Chromatography – Mass Spectrometry, Liquid Chromatography - Mass Spectrometry, UV-VIS Spectrophotometer, Ion Chromatography, Gas Chromatography - Electron Capture Detector, Headspace Gas Chromatography - Mass Spectrometry and High-Performance Liquid Chromatography.

Chemical Substance	EC No.	CAS No.	Results % (w/w)
Cobalt Dichloride *	231-589-4	7646-79-9	<0.05
Diarsenic Pentaoxide *	215-116-9	1303-28-2	<0.05
Diarsenic Trioxide *	215-481-4	1327-53-3	<0.05
Lead Hydrogen Arsenate *	232-064-2	7784-40-9	<0.05
Triethyl Arsenate *	427-700-2	15606-95-8	<0.05
Sodium Dichromate *	234-190-3	7789-12-0, 10588-01-9	<0.05
Bis (Tributyltin) Oxide (TBTO)*	200-268-0	56-35-9	<0.05
Anthracene	204-371-1	120-12-7	<0.05
4,4'-Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	<0.05
Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	247-148-4 221-695-9	25637-99-4 and 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8)	<0.05
5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	201-329-4	81-15-2	<0.05
Bis (2-Ethylhexyl) Phthalate (DEHP)	204-211-0	117-81-7	4.66
Dibutyl Phthalate (DBP)	201-557-4	84-74-2	<0.05
Benzyl Butyl Phthalate (BBP)	201-622-7	85-68-7	<0.05
Short Chain Chlorinated Paraffins (C ₁₀₋₁₃)	287-476-5	85535-84-8	<0.05
Lead Chromate *	231-846-0	7758-97-6	<0.05
Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) *	235-759-9	12656-85-8	<0.05
Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) *	215-693-7	1344-37-2	<0.05
Tris (2-Chloroethyl) Phosphate	204-118-5	115-96-8	<0.05
2,4-Dinitrotoluene	204-450-0	121-14-2	<0.05
Diisobutyl Phthalate (DIBP)	201-553-2	84-69-5	<0.05
Coal Tar Pitch, High Temperature	266-028-2	65996-93-2	<0.05
Anthracene Oil	292-602-7	90640-80-5	<0.05
Anthracene Oil, Anthracene Paste, Distn. Lights	295-278-5	91995-17-4	<0.05
Anthracene Oil, Anthracene Paste, Anthracene Fraction	295-275-9	91995-15-2	<0.05
Anthracene Oil, Anthracene-low	292-604-8	90640-82-7	<0.05
Anthracene Oil, Anthracene Paste	292-603-2	90640-81-6	<0.05
Acrylamide	201-173-7	79-06-1	<0.05
Boric Acid *	233-139-2/ 234-343-4	10043-35-3, 11113-50-1	<0.05
Disodium Tetraborate, Anhydrous *	215-540-4	1330-43-4, 12179-04-3, 1303-96-4	<0.05
Tetraboron Disodium Heptaoxide, Hydrate *	235-541-3	12267-73-1	<0.05
Sodium Chromate *	231-889-5	7775-11-3	<0.05
Potassium Chromate *	232-140-5	7789-00-6	<0.05
Ammonium Dichromate *	232-143-1	7789-09-5	<0.05
Potassium Dichromate *	231-906-6	7778-50-9	<0.05
Trichloroethylene	201-167-4	79-01-6	<0.05

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : intertekcg.turkiye@intertek.com

www.intertek-turkey.com



Test Method
Result
Requirements

Chemical Substance	EC No.	CAS No.	Results % (w/w)
2-Methoxyethanol	203-713-7	109-86-4	<0.05
2-Ethoxyethanol	203-804-1	110-80-5	<0.05
Cobalt Sulphate *	233-334-2	10124-43-3	<0.05
Cobalt Dinitrate *	233-402-1	10141-05-6	<0.05
Cobalt Carbonate *	208-169-4	513-79-1	<0.05
Cobalt Diacetate *	200-755-8	71-48-7	<0.05
Chromium Trioxide *	215-607-8	1333-82-0	<0.05
Chromic Acid *	231-801-5 236-881-5	7738-94-5	<0.05
Dichromic Acid *		13530-68-2	
Oligomers of Chromic Acid and Dichromic Acid *		--	
Strontium Chromate*	232-142-6	7789-06-2	<0.05
2-ethoxyethyl acetate (2-EEA)	203-839-2	111-15-9	<0.05
1,2-Benzenedicarboxylic acid, di-C ₇ -11-branched and linear alkyl esters (DHNUP)	271-084-6	68515-42-4	<0.05
Hydrazine	206-114-9	7803-57-8 302-01-2	<0.05
1-methyl-2-pyrrolidone	212-828-1	872-50-4	<0.05
1,2,3-trichloropropane	202-486-1	96-18-4	<0.05
1,2-Benzenedicarboxylic acid, di-C ₆₋₈ -branched alkyl esters, C ₇ -rich (DIHP)	276-158-1	71888-89-6	<0.05
Lead dipicrate*	229-335-2	6477-64-1	<0.05
Lead styphnate*	239-290-0	15245-44-0	<0.05
Lead azide; Lead diazide*	236-542-1	13424-46-9	<0.05
Phenolphthalein	201-004-7	77-09-8	<0.05
2,2'-dichloro-4,4'-methylenedianiline (MOCA)	202-918-9	101-14-4	<0.05
N,N-dimethylacetamide (DMAC)	204-826-4	127-19-5	<0.05
Trilead diarsenate*	222-979-5	3687-31-8	<0.05
Calcium arsenate*	231-904-5	7778-44-1	<0.05
Arsenic acid*	231-901-9	7778-39-4	<0.05
Bis(2-methoxyethyl) ether	203-924-4	111-96-6	<0.05
1,2-Dichloroethane	203-458-1	107-06-2	<0.05
4-(1,1,3,3-tetramethylbutyl)phenol,(4-tert-Octylphenol)	205-426-2	140-66-9	<0.05
2-Methoxyaniline; o-Anisidine	201-963-1	90-04-0	<0.05
Bis(2-methoxyethyl) phthalate(DMEP)	204-212-6	117-82-8	<0.05
Formaldehyde, oligomeric reaction products with aniline (technical MDA)	500-036-1	25214-70-4	<0.05
Pentazinc chromate octahydroxide*	256-418-0	49663-84-5	<0.05
Potassium hydroxyoctaoxodizincate di-chromate*	234-329-8	11103-86-9	<0.05
Dichromium tris(chromate)*	246-356-2	24613-89-6	<0.05
Aluminosilicate Refractory Ceramic Fibres *	Extracted from index No. 650-017-00-8	(Index No. 650-017-00-8)	<0.05
Zirconia Aluminosilicate Refractory Ceramic Fibres *	Extracted from index No. 650-017-00-8	(Index No. 650-017-00-8)	<0.05
1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	203-977-3	112-49-2	<0.05
1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	<0.05
Diboron trioxide*	215-125-8	1303-86-2	<0.05
Formamide	200-842-0	75-12-7	<0.05
Lead(II) bis(methanesulfonate) *	401-750-5	17570-76-2	<0.05

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail :intertekcg.turkiye@intertek.com

www.intertek-turkey.com



Test Method
Result
Requirements

<u>Chemical Substance</u>	<u>EC No.</u>	<u>CAS No.</u>	<u>Results % (w/w)</u>
TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	219-514-3	2451-62-9	<0.05
β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	423-400-0	59653-74-6	<0.05
4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	202-027-5	90-94-8	<0.05
N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	202-959-2	101-61-1	<0.05
[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	208-953-6	548-62-9	<0.05
[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	219-943-6	2580-56-5	<0.05
α,α-Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	229-851-8	6786-83-0	<0.05
4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	209-218-2	561-41-1	<0.05
Bis(pentabromophenyl) ether (DecaBDE)	214-604-9	1163-19-5	<0.05
Pentacosafuorotridecanoic acid	276-745-2	72629-94-8	<0.05
Tricosafuorododecanoic acid	206-203-2	307-55-1	<0.05
Henicosafuoroundecanoic acid	218-165-4	2058-94-8	<0.05
Heptacosafuorotetradecanoic acid	206-803-4	376-06-7	<0.05
4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	-	<0.05
4-Nonylphenol, branched and linear: substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	-	-	<0.05
Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	204-650-8	123-77-3	<0.05

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail :intertekcg.turkiye@intertek.com

www.intertek-turkey.com



Test Method	Result		Requirements
Chemical Substance	EC No.	CAS No.	Results % (w/w)
Cyclohexane-1,2-dicarboxylic anhydride [1] Cis-cyclohexane-1,2-dicarboxylic anhydride [2] Trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	201-604-9, 236-086-3, 238-009-9	85-42-7, 13149-00-3, 14166-21-3	<0.05
Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	247-094-1, 243-072-0, 256-356-4, 260-566-1	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	<0.05
Methoxy acetic acid	210-894-6	625-45-6	<0.05
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	<0.05
Diisopentylphthalate (DIPP)	210-088-4	605-50-5	<0.05
N-pentyl-isopentylphthalate	-	776297-69-9	<0.05
1,2-Diethoxyethane	211-076-1	629-14-1	<0.05
N,N-dimethylformamide	200-679-5	68-12-2	<0.05
Dibutyltin dichloride (DBTC)*	211-670-0	683-18-1	<0.05
Acetic acid, lead salt, basic*	257-175-3	51404-69-4	<0.05
trilead bis(carbonate) dihydroxide*	215-290-6	1319-46-6	<0.05
Lead oxide sulfate*	234-853-7	12036-76-9	<0.05
[Phthalato(2-)]dioxotrilead *	273-688-5	69011-06-9	<0.05
Dioxobis(stearato)trilead*	235-702-8	12578-12-0	<0.05
Fatty acids, C16-18, lead salts*	292-966-7	91031-62-8	<0.05
Lead bis(tetrafluoroborate)*	237-486-0	13814-96-5	<0.05
Lead cyanamidate*	244-073-9	20837-86-9	<0.05
Lead dinitrate*	233-245-9	10099-74-8	<0.05
Lead monoxide (lead oxide)*	215-267-0	1317-36-8	<0.05
Orange lead (lead tetroxide)*	215-235-6	1314-41-6	<0.05
Lead titanium trioxide*	235-038-9	12060-00-3	<0.05
Lead titanium zirconium oxide*	235-727-4	12626-81-2	<0.05
Pentalead tetraoxide sulphate*	235-067-7	12065-90-6	<0.05
Pyrochlore, antimony lead yellow*	232-382-1	8012-00-8	<0.05
Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped* [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	272-271-5	68784-75-8	<0.05

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail :intertekcg.turkiye@intertek.com

www.intertek-turkey.com



Test Method	Result		Requirements
Chemical Substance	EC No.	CAS No.	Results % (w/w)
ilicic acid, lead salt*	234-363-3	11120-22-2	<0.05
Sulfurous acid, lead salt, dibasic*	263-467-1	62229-08-7	<0.05
Tetraethyllead*	201-075-4	78-00-2	<0.05
Tetralead trioxide sulphate*	235-380-9	12202-17-4	<0.05
Trilead dioxide phosphonate*	235-252-2	12141-20-7	<0.05
Furan	203-727-3	110-00-9	<0.05
Methyloxirane (propylene oxide)	200-879-2	75-56-9	<0.05
Diethyl sulphate	200-589-6	64-67-5	<0.05
Dimethyl sulphate	201-058-1	77-78-1	<0.05
3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	<0.05
Dinoseb (6-sec-butyl-2,4-dinitrophenol)	201-861-7	88-85-7	<0.05
4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	<0.05
4,4'-oxydianiline and its salts	202-977-0	101-80-4	<0.05
4-Aminoazobenzene	200-453-6	60-09-3	<0.05
4-methyl-m-phenylenediamine (toluene-2,4-diamine)	202-453-1	95-80-7	<0.05
6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8	<0.05
Biphenyl-4-ylamine	202-177-1	92-67-1	<0.05
o-aminoazotoluene	202-591-2	97-56-3	<0.05
o-Toluidine	202-429-0	95-53-4	<0.05
N-methylacetamide	201-182-6	79-16-3	<0.05
1-bromopropane; n-propyl bromide	203-445-0	106-94-5	<0.05
Cadmium*	231-152-8	7440-43-9	<0.05
Cadmium oxide*	215-146-2	1306-19-0	<0.05
Dipentyl phthalate (DPP)	205-017-9	131-18-0	<0.05
4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	--	<0.05
Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	<0.05
Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	<0.05

Remarks : SVHC = Substance of Very High Concern

* = Determination was based on elemental analysis

Material were screened in composite and results were reported in proportion with the whole product weight.

REACH requirement : As per Article 33(1) of the REACH Regulation (EC1907/2006), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1%(w/w). A product meets the requirement of Article 33(1) by default when no SVHC exceeds 0.1%(w/w).

END OF TEST REPORT



2111